



Vitacare Pharma
 111 SKYLINE DR
 SOUTH PLAINFIELD, NJ 07080-1806
 (732) 991-1116 Cell

WESTERN, 261-Mountainside
 1048 US HIGHWAY 22
 MOUNTAINSIDE, NJ 07092-2811
 (908) 233-4100

Invoice/Service Ticket #: 9460655
 Account #: 345107

Date of Service 02/05/2025 Customer Since: 2013 RANDY CLARKE Rt# 261-RClarke Amt Collected: \$0.00

Time In 02/05/2025 01:09 PM Time Out 02/05/2025 01:33 PM

License # 85414C

PC Standard - Semi Monthly , PC Standard - 2X Month

Previous Services

01/16/2025 PC Standard - 2X Month
 01/06/2025 PC Standard - 2X Month
 12/19/2024 PC Standard - 2X Month

**Pesticide Product Labels
 Are
 Available Upon Request**

Services Provided

Clean Station, Inspect/Treated Breakroom, Inspected All Area, Inspected Equipment (Tincats/Bait Stations/Fly Lig, Inspected complete interior/exterior of business, Inspected/Treated Bathrooms, Inspected/Treated Common Areas, Inspected/Treated Garage, Inspected/Treated Kitchen for Pest Activity, Inspected/Treated Maintenance Area, Inspected/Treated Office Areas, Inspected/Treated Storage Area, Inspection/Treatment - Interior for crawling insec, Inspection/treatment breakroom area, Inspection/treatment dock and warehouse area, Pest Monitors Inspected/Replaced, Serviced Interior FlyLights - ILT, THANK YOU FOR YOUR BUSINESS.

General Comments

All interior warehouse devices have been scanned with serviced with new glue boards if necessary. One rodent caught and removed from device near receiving roll up door. All other areas inspected with no concerns at this time. Fly trap lights remain working with moderate activity at this time. Office areas pest monitors replaced with no activity. Thank you for choosing Western Pest Services

Product Application Details (Consumer post application precautionary statements on back)

			<u>Active Ingredient</u>	<u>App Method</u>	<u>App Equip</u>	<u>Target Pest(s)</u>	<u>Location</u>
Product:	Fly Glue boards/case of 24	QTY:	2 EACH	Trap Placement	No Equipment used	Flies	Warehouse
Formulation:		EPA # :	N/A				
App Rate:	As Needed	LOT #:					
Product:	Glue Board Mouse	QTY:	2 EACH	Trap Placement	No Equipment used	House Mouse, Mice, Occasional Invaders	Warehouse
Formulation:		EPA # :	N/A				
App Rate:	As Needed	LOT #:					



Vitacare Pharma
 111 SKYLINE DR
 SOUTH PLAINFIELD, NJ 07080-1806
 (732) 991-1116 Cell

WESTERN, 261-Mountainside
 1048 US HIGHWAY 22
 MOUNTAINSIDE, NJ 07092-2811
 (908) 233-4100

Invoice/Service Ticket #:9460655
 Account # 345107
 Date of Service: 02/05/2025
 Time In: 02/05/2025 01:09 PM
 Time Out: 02/05/2025 01:33 PM

Product Used

<u>Zone Name</u>	<u>Number</u>	<u>Description</u>	<u>Category</u>	<u>Product Name</u>	<u>Applied</u>
Insect lights (VitaCare Pharma)	3		Device	Fly Glue boards/case of 24	2 EACH
Interior rc (VitaCare Pharma)	4		Rodent Device	Glue Board Mouse	1 EACH
Interior rc (VitaCare Pharma)	11		Rodent Device	Glue Board Mouse	1 EACH

Station / Room Summary

<u>Name</u>	<u>Scheduled</u>	<u>Inspected</u>	<u>With Activity</u>	<u>Added</u>	<u>Replaced</u>	<u>Skipped</u>	<u>Removed</u>	<u>End Total</u>
Insect Light Trap	3	3	0	0	0	0	0	3
Rodent Traps	11	11	0	0	0	0	0	11

Zone Summary

<u>Zone Name</u>	<u>Comments</u>	<u>New</u>	<u>Scheduled</u>	<u>Inspected</u>	<u>With Activity</u>	<u>No Activity</u>
Insect lights (VitaCare Pharma)			3	3	0	3
Interior rc (VitaCare Pharma)			11	11	0	11

Customer Signature: _____

CUSTOMER NAME: Manav Shah

CUSTOMER EMAIL: rozy@vitacarepharma.com, apathak@vitacarepharma.com, apathak@vitacarepharma.com, ppatel@vitacarepharma.com

* This work has been performed to my satisfaction.

If you experience pest issues between scheduled visits, we will come back and address the problem at no additional charge.

Remit To: WESTERN, 261-Mountainside
 1048 US Highway 22
 Mountainside, NJ 07092-2811

CONSUMER NOTIFICATION(S) / POST APPLICATION STATEMENTS

Treated Area(s) - Do not allow unprotected person(s), children, or pets to touch, enter or replace items or bedding, to contact or enter treated area(s) until dry.

Ventilation/Reoccupying - Vacate and keep area(s) closed up to 30 minutes after treatment, then ventilate area(s) well for up to 2 hours before reoccupying.

Equipment/Processing/Food - Thoroughly wash dishes, utensils, food preparation/processing equipment and surfaces with an effective cleaning compound and rinse with clean water if not removed or covered during treatment. This area should be odor free before food products are placed in the area.

Exterior Applications (baits) - Do not allow grazing of feed, lawn or sod clippings to livestock after bait applications.

Granular Application(s) - Do not water to the point of run off.

Do not burn treated fire wood for one month after treatment.

National Poison Control Center: 1-800-222-1222