



Vitacare Pharma
 111 SKYLINE DR
 SOUTH PLAINFIELD, NJ 07080-1806
 (732) 991-1116 Cell

WESTERN, 261-Mountainside
 1048 US HIGHWAY 22
 MOUNTAINSIDE, NJ 07092-2811
 (908) 233-4100

Invoice/Service Ticket #: 9399285
 Account #: 345107

Date of Service 01/06/2025 Customer Since: 2013 RANDY CLARKE Rt# 261-RClarke Amt Collected: \$0.00

Time In 01/06/2025 03:01 PM Time Out 01/06/2025 03:32 PM

License # 85414C

PC Standard - Semi Monthly , PC Standard - 2X Month

Previous Services

12/19/2024 PC Standard - 2X Month
 12/05/2024 PC Standard - 2X Month
 11/21/2024 PC Standard - 2X Month

**Pesticide Product Labels
 Are
 Available Upon Request**



Services Provided

Bait Station Inspection, Inspect/Treated Breakroom, Inspected All Area, Inspected Equipment (Tincats/Bait Stations/Fly Lig, Inspected complete interior/exterior of business, Inspected outside for rodent entry area, Inspected/Treated Common Areas, Inspected/Treated Garage, Inspected/Treated Kitchen for Pest Activity, Inspected/Treated Maintenance Area, Inspected/Treated Office Areas, Inspected/Treated Storage Area, Inspection/Treatment - Interior for crawling insect, Inspection/treatment breakroom area, Inspection/treatment dock and warehouse area, Serviced Exterior Bait Stations, Serviced Interior FlyLights - ILT, THANK YOU FOR YOUR BUSINESS.

General Comments

Interior warehouse areas have been fully inspected. Dead rodent has been removed from tincat that was caught. Break room areas have also been inspected. Fly trap lights show minimal to no activity at this time. Exterior bait stations show minimal to no feeding activity at this time and remain with final block rodent protection. New year service log sheet with binder has been updated with management. Thank you for choosing Western Pest Services

Product Application Details (Consumer post application precautionary statements on back)

		<u>Active Ingredient</u>	<u>App Method</u>	<u>App Equip</u>	<u>Target Pest(s)</u>	<u>Location</u>
Product:	Glue Board Mouse		Trap Placement	No Equipment used	House Mouse, Mice, Occasional Invaders	Warehouse
Formulation:		QTY: 2 EACH				
App Rate:	As Needed	EPA #: N/A				
		LOT #:				

Product Used

<u>Zone Name</u>	<u>Number</u>	<u>Description</u>	<u>Category</u>	<u>Product Name</u>	<u>Applied</u>
Interior rc (VitaCare Pharma)	5		Rodent Device	Glue Board Mouse	1 EACH
Interior rc (VitaCare Pharma)	6		Rodent Device	Glue Board Mouse	1 EACH



Vitacare Pharma
 111 SKYLINE DR
 SOUTH PLAINFIELD, NJ 07080-1806
 (732) 991-1116 Cell

WESTERN, 261-Mountainside
 1048 US HIGHWAY 22
 MOUNTAINSIDE, NJ 07092-2811
 (908) 233-4100

Invoice/Service Ticket #:9399285
 Account # 345107
 Date of Service: 01/06/2025
 Time In: 01/06/2025 03:01 PM
 Time Out: 01/06/2025 03:32 PM

Station / Room Summary

<u>Name</u>	<u>Scheduled</u>	<u>Inspected</u>	<u>With Activity</u>	<u>Added</u>	<u>Replaced</u>	<u>Skipped</u>	<u>Removed</u>	<u>End Total</u>
Insect Light Trap	3	3	0	0	0	0	0	3
Rodent Traps	11	11	0	0	0	0	0	11

Zone Summary

<u>Zone Name</u>	<u>Comments</u>	<u>New</u>	<u>Scheduled</u>	<u>Inspected</u>	<u>With Activity</u>	<u>No Activity</u>
Insect lights (VitaCare Pharma)			3	3	0	3
Interior rc (VitaCare Pharma)			11	11	0	11

Customer Signature: _____

CUSTOMER NAME: Manav Shah
 CUSTOMER EMAIL: rozy@vitacarepharma.com, ppatel@vitacarepharma.com

* This work has been performed to my satisfaction.

If you experience pest issues between scheduled visits, we will come back and address the problem at no additional charge.

Remit To: WESTERN, 261-Mountainside
 1048 US Highway 22
 Mountainside, NJ 07092-2811

CONSUMER NOTIFICATION(S) / POST APPLICATION STATEMENTS

Treated Area(s) - Do not allow unprotected person(s), children, or pets to touch, enter or replace items or bedding, to contact or enter treated area(s) until dry.

Ventilation/Reoccupying - Vacate and keep area(s) closed up to 30 minutes after treatment, then ventilate area(s) well for up to 2 hours before reoccupying.

Equipment/Processing/Food - Thoroughly wash dishes, utensils, food preparation/processing equipment and surfaces with an effective cleaning compound and rinse with clean water if not removed or covered during treatment. This area should be odor free before food products are placed in the area.

Exterior Applications (baits) - Do not allow grazing of feed, lawn or sod clippings to livestock after bait applications.

Granular Application(s) - Do not water to the point of run off.

Do not burn treated fire wood for one month after treatment.

National Poison Control Center: 1-800-222-1222