



Certificate Of Analysis
K-PURE COPPER BISGLYCINATE

aic
135 Newbury Street
Framingham, MA 01701
(508) 270-8433 • (800) 238-0001



FCU0GYP8900K
KPCUGY104001

Lot # **659430**

Date of Manufacture: 31OCT2018

Date of Retest: 30OCT2021

Product Information (Part 1):

Shelf life if stored in a cool and dry location: 36 months from date of manufacture.
Made in U.S.A.

Product Information (Part 2): Details, Tests & Methods, Specifications & Limits & Others

Test Description	Test Method	Specification	Result	Units
CHEMICAL				
Cu Content	ICP	10.0 - 12.5	11.4	%
PHYSICAL				
Loss on Drying	105°C until stable	NMT 5.00	2.35	%
thru 40 Mesh	Ro-Tap	NLT 90.0	100.0	%
thru 80 Mesh	Ro-Tap	NLT 85.0	98.8	%
Tapped Density	USP	Report	0.64	g/mL
Color	Visual	Light Blue~Blue	Pass	
HEAVY METALS				
Arsenic	ICP-MS	NMT 1.00	<0.01	ppm
Cadmium	ICP-MS	NMT 1.00	<0.01	ppm
Lead	ICP-MS	NMT 2.00	<0.01	ppm
Mercury	EPA 7473	NMT 0.10	0.01	ppm
MICROBIOLOGICAL				
Coliforms	AOAC	Negative	Negative	/10g
E. coli	AOAC	Negative	Negative	/10g
Total Plate Count	AOAC	NMT 3,000	<10	cfu/g
Yeast and Mold	AOAC	NMT 300	<10	cfu/g
Salmonella	FDA/BAM	Negative	Negative	/25g
Staphylococcus aureus	FDA/BAM	Negative	Negative	/10g

American International Chemical, Inc. Verifies that the information contained herein is true and correct to the best of our knowledge.

Verified by:  Date: 11/16/18
Phone: 800-238-0001



Approved By

1675 West 2750 South, Ogden, Utah 84401 USA
Phone: 801.627.3050
Fax: 801.394.4559