



Trafa Pharmaceutical Supplies, LLC

140 Padgette Street, Unit D, Chicopee, MA 01022, USA
Tel: 1-866-99-Trafa (87232) FAX: 1-800-627-1880
Email: SalesUSA@TrafaPharmaSupplies.com
Website: www.TrafaPharmaSupplies.com

RI 0413
R# 17657

Certificate of Analysis

Product Name	COPPER OXIDE (CUPRIC OXIDE)	
Batch No	TRF-20220723	Origin: India
Manufacturing Date	July 2022	
Expiry Date	July 2025	
TESTS	LIMIT	RESULTS
Description	Black powder	Black powder
Assay (by chemical)	Not Less Than 98.50% W/W	99.74%
Copper	Not less Than 78.50%	79.14%
Mesh	100% pass on 80 Mesh	100.0%
Heavy Metal	NLT 2ppm	1.32ppm
Lead	NLT 0.5ppm	0.42ppm
Cadmium	NLT 0.5ppm	0.35ppm
Arsenic	NLT 0.5ppm	0.26ppm
Mercury	NLT 0.1ppm	0.03ppm
Total Plate Count	NLT 1000CFU/g	200CFU/g
Yeast & Mold	NLT 100CFU/g	10CFU/g
Salmonella	Negative	Negative
E. Coli	Negative	Negative

Manufacturing Date: Puneet Laboratories

Note: The above information is based on the certificate of analysis received from the manufacturer of this product and not intended as a substitute for strict quality control analysis by the purchaser of this product.

Reviewed by :

Abdullah Malik (QA)