



# Certificate of Analysis

Document Date  
06/08/2021

INOLEX Incorporated - 2101 S. Swanson Street, Philadelphia, PA 19148, USA  
(215) 271-0800 info@inolex.com

<b>Product Code</b>	63108	<b>Batch Number</b>	200314-23
<b>Product Name</b>	SUSTOLEO GMS	<b>Manufacturing Date</b>	03/14/2020
<b>Customer</b>	Artisan Labs - SAMP-445688 (KIMBERLY)	<b>Re-Evaluation Date</b>	03/14/2023
<b>Customer Code</b>	Not Applicable	<b>Quality Order</b>	Q005991
<b>PO Number</b>	Not Applicable	<b>Generated From</b>	Batch
<b>INCI:</b> Glyceryl Stearate			

Analysis	Specification	Result	Test
Acid Value, mg KOH/g	2.00 Max	0.36	098-000
Iodine Value, cg I2/g	1.00 Max	0.38	099-000
Sap Value, mg KOH/g	160.00 Min to 180.00 Max	175.95	102-000
Free Glycerine, % w/w	6.50 Max	2.14	109-001
Odor	Characteristic	Conforming	114-005
Moisture, % w/w	2.00 Max	0.25	252-000
Appearance	Pale To Cream Flakes / Pastilles	Conforming	901-053

*Peter Lambropoulos*

INOLEX QUALITY CONTROL COA APPROVED BY

All warranty claims in respect of the conformity of our product are subject to our General Terms and Conditions of Sale. The data listed above reflects the criteria for our internal quality tests. INOLEX QMS registrations include ISO9001, EFfCI and RSPO. We do not hereby make any express or implied warranty, whether for specific properties or for fitness for any particular application or purpose. All values are valid for the product when dispatched. Safety information regarding this product is contained in its Safety Data Sheet (SDS). Users of this product are urged to study and use the information contained on the SDS. This is a computer-generated document, electronically signed and validated.