

BILL-TO **103704**
 Pure Functional Foods
 267 State Route 89
 Savannah, NY 13146-9711

LOCATION **103704**
 Pure Functional Foods
 267 State Route 89
 Savannah, NY 13146-9711

Time In: 6/19/2025 7:54 AM
Time Printed: 6/19/2025 10:08 AM

Customer Signature



Violeta B
Technician Signature



James Wallace
License #:

Phone: 315-294-0733

Phone: 315-294-0733

Purchase Order	Terms	Service Description	Quantity
None	NET 30	Every Other Week Pest Control Service	1.00

GENERAL COMMENTS / INSTRUCTIONS

Tech Comment: Met with V-reports a significant millipede issue at building 3. No other issues reported.
 Started inspection at building 1 and 2. Inspected all areas and devices. Replaced ILT glue boards as needed, recorded activity.
 Inspected building 3. Confirmed very heavy millipede activity. Added 25 insect glue boards inside, sprayed outside along front of building. We will have entire exterior of building treated tomorrow (weather depending).
 No other issues to be addressed. No signs of rodent activity observed.

CONDITIONS / OBSERVATIONS	Reported	Severity	Responsibility	Reviewed
Open				
bldg 3 -> interior -> Condition: ILT 1 does not appear to have power. Action: Please have power verified for ILT	1/21/2025	Low	Customer	6/19/2025
Resolved This Visit				
bldg 2 -> interior -> Condition: ILT does not appear to have power. - llt 1 is out of power Action: Please have power verified for ILT	3/6/2025	Low	Customer	6/19/2025
bldg 2 -> interior -> whse -> Condition: Blocked MT 5 - MT was blocked by stored equipment, staged product, corrugated cardboard could not be safely accessed for inspection. Action: Please ensure that all Integrated Pest Management (IPM) monitoring and control devices are safely accessible at all times.	4/23/2025	High	Customer	6/19/2025
bldg 3 -> interior -> Condition: Blocked MT 9&12 - MT was blocked by stored equipment, staged product, corrugated cardboard could not be safely accessed for inspection. Action: Please ensure that all Integrated Pest Management (IPM) monitoring and control devices are safely accessible at all times.	5/28/2025	High	Customer	6/19/2025

PRODUCT APPLICATION SUMMARY

Material	EPA #	A.I. %	A.I. Conc.	Active Ingredient	Finished Qty	Undiluted Qty
ILT Glue Board Areas Applied: 4- whse -> Device ILT 1, 4- whse -> Device ILT 2, interior -> Device ILT 2, whse -> Device ILT 2	n/a	0.0000%	n/a	n/a	6.0000 Each	0.0000 Each
Insect Monitor GB Areas Applied: interior	n/a	0.0000%	n/a	n/a	25.0000 Each	0.0000 Each
TALSTAR P PROFESSIONAL INSECTICIDE Areas Applied: exterior Target Pests: Millipedes, Yellow Jacket	279-3206	7.9000%	0.0600%	Bifenthrin	1.5000 Gallon	1.4579 Fluid Ounce

PEST ACTIVITY	# Areas	# Devices	Pest Totals
Fungus Gnat	0	3	300
Green/Blue/Black Bottle Fly	0	3	96
Night Fliers	0	1	8
Indian Meal Moth	0	1	2

DEVICE INSPECTION SUMMARY

Device Type	# Inspected	# Inspected w/Activity	# Skipped	# Replaced
Insect Light Trap	8 of 8 (100.00%)	4 of 8 (50.00%)	0	0
Mechanical Trap	70 of 79 (88.61%)	0 of 79 (0.00%)	9	0
Pheromone Trap	18 of 18 (100.00%)	1 of 18 (5.56%)	0	0
PPC Paperwork Binder	1 of 1 (100.00%)	0 of 1 (0.00%)	0	0
- Totals	97 of 106 (91.51%)	5 of 106 (4.72%)	9	0

AREA COMMENTS

None Noted.

DEVICE INSPECTION EXCEPTIONS

Device Type	Device Name	Exceptions	Reason	Area
Mechanical Trap	6	Skipped	Inaccessible	bldg 3 -> interior
Mechanical Trap	9	Skipped	Inaccessible	bldg 3 -> interior
Mechanical Trap	12	Skipped	Inaccessible	bldg 3 -> interior
Mechanical Trap	13	Skipped	Inaccessible	bldg 3 -> interior
Mechanical Trap	14	Skipped	Inaccessible	bldg 3 -> interior
Mechanical Trap	17	Skipped	Inaccessible	bldg 3 -> interior
Mechanical Trap	31	Skipped	Inaccessible	bldg 3 -> interior
Mechanical Trap	32	Skipped	Inaccessible	bldg 3 -> interior
Mechanical Trap	33	Skipped	Inaccessible	bldg 3 -> interior

INSPECTION DETAIL

Area	Time	Device	Type	Status	Pest Findings
bldg 1 -> interior					
	8:12:09 AM	Logbook	PPC Paperwork Binder	No Activity	
bldg 1 -> interior -> 1- laundry rm					
	8:13:14 AM	1	Mechanical Trap	No Activity	
	8:12:21 AM	2	Mechanical Trap	No Activity	
bldg 1 -> interior -> 1- laundry rm -> electric rm					
	8:14:28 AM	2a	Mechanical Trap	No Activity	
bldg 1 -> interior -> 2- break room					
	8:41:51 AM	3	Mechanical Trap	No Activity	
bldg 1 -> interior -> 3- restroom					
	8:44:55 AM	4	Mechanical Trap	No Activity	
	8:42:01 AM	5	Mechanical Trap	No Activity	
bldg 1 -> interior -> 4- whse					
	8:36:54 AM	6	Mechanical Trap	No Activity	
	8:36:43 AM	7	Mechanical Trap	No Activity	
	8:36:32 AM	8	Mechanical Trap	No Activity	
	8:36:19 AM	9	Mechanical Trap	No Activity	
	8:28:55 AM	20	Mechanical Trap	No Activity	
	8:28:40 AM	21	Mechanical Trap	No Activity	
	8:29:08 AM	CPT 1	Pheromone Trap	No Activity	
	8:31:13 AM	CPT2	Pheromone Trap	No Activity	
	8:33:48 AM	CPT 3	Pheromone Trap	No Activity	
	8:37:25 AM	CPT 5	Pheromone Trap	No Activity	
	8:29:34 AM	FPT 1	Pheromone Trap	No Activity	
	8:39:03 AM	FPT 2	Pheromone Trap	No Activity	
	8:33:58 AM	FPT 3	Pheromone Trap	No Activity	
	8:36:57 AM	FPT 5	Pheromone Trap	No Activity	
	8:17:30 AM	ILT 1	Insect Light Trap	Activity	Fungus Gnat - 150 C
	8:19:13 AM	ILT 2	Insect Light Trap	Activity	Fungus Gnat - 75 C Green/Blue/Blac... - 13 C Night Fliers - 8 C
bldg 1 -> interior -> 5- mixing					
	8:25:29 AM	25	Mechanical Trap	No Activity	
	8:24:36 AM	CPT 6	Pheromone Trap	No Activity	
	8:26:45 AM	CPT 8	Pheromone Trap	No Activity	
bldg 1 -> interior -> 6- packing rm					
	8:27:45 AM	22	Mechanical Trap	No Activity	

INSPECTION DETAIL

Area	Time	Device	Type	Status	Pest Findings
	8:27:14 AM	23	Mechanical Trap	No Activity	
	8:26:57 AM	24	Mechanical Trap	No Activity	
	8:27:29 AM	CPT 7	Pheromone Trap	No Activity	
bldg 1 -> interior -> 7- maintenance rm					
	8:32:59 AM	18	Mechanical Trap	No Activity	
	8:30:26 AM	19	Mechanical Trap	No Activity	
bldg 1 -> interior -> 8- allergen rm					
	8:31:25 AM	14	Mechanical Trap	No Activity	
	8:32:15 AM	15	Mechanical Trap	No Activity	
	8:32:37 AM	16	Mechanical Trap	No Activity	
	8:31:48 AM	17	Mechanical Trap	No Activity	
bldg 1 -> interior -> 9- Finn rm					
	8:35:16 AM	10	Mechanical Trap	No Activity	
	8:35:28 AM	11	Mechanical Trap	No Activity	
	8:34:17 AM	12	Mechanical Trap	No Activity	
	8:34:06 AM	13	Mechanical Trap	No Activity	
	8:34:52 AM	CPT 4	Pheromone Trap	No Activity	
	8:35:25 AM	FPT 4	Pheromone Trap	No Activity	
bldg 2 -> interior -> whse					
	8:48:05 AM	1	Mechanical Trap	No Activity	
	8:48:18 AM	2	Mechanical Trap	No Activity	
	8:49:02 AM	3	Mechanical Trap	No Activity	
	8:53:44 AM	4	Mechanical Trap	No Activity	
	8:52:00 AM	5	Mechanical Trap	No Activity	
	8:50:48 AM	6	Mechanical Trap	No Activity	
	8:50:54 AM	7	Mechanical Trap	No Activity	
	8:49:57 AM	8	Mechanical Trap	No Activity	
	8:50:26 AM	9	Mechanical Trap	No Activity	
	8:47:29 AM	10	Mechanical Trap	No Activity	
	8:47:32 AM	11	Mechanical Trap	No Activity	
	8:46:47 AM	12	Mechanical Trap	No Activity	
	8:47:06 AM	13	Mechanical Trap	No Activity	
	8:50:37 AM	FPT 1	Pheromone Trap	No Activity	
	8:52:37 AM	FPT 2	Pheromone Trap	No Activity	
	8:49:22 AM	ILT 1	Insect Light Trap	No Activity	
	8:46:21 AM	ILT 2	Insect Light Trap	Activity	Fungus Gnat - 75 C Green/Blue/Blac... - 8 C
	8:49:50 AM	ILT 3	Insect Light Trap	No Activity	
bldg 3 -> interior					
	9:12:13 AM	1	Mechanical Trap	No Activity	
	9:12:28 AM	2	Mechanical Trap	No Activity	
	9:12:43 AM	3	Mechanical Trap	No Activity	
	9:12:52 AM	4	Mechanical Trap	No Activity	
	9:14:48 AM	5	Mechanical Trap	No Activity	
	9:52:20 AM	6	Mechanical Trap	Skipped	
	9:15:00 AM	7	Mechanical Trap	No Activity	
	9:15:44 AM	8	Mechanical Trap	No Activity	
	9:52:28 AM	9	Mechanical Trap	Skipped	
	9:15:56 AM	10	Mechanical Trap	No Activity	
	9:17:07 AM	11	Mechanical Trap	No Activity	
	9:52:36 AM	12	Mechanical Trap	Skipped	
	9:52:42 AM	13	Mechanical Trap	Skipped	
	9:52:46 AM	14	Mechanical Trap	Skipped	
	9:17:15 AM	15	Mechanical Trap	No Activity	
	9:17:43 AM	16	Mechanical Trap	No Activity	
	9:52:54 AM	17	Mechanical Trap	Skipped	
	9:17:53 AM	18	Mechanical Trap	No Activity	
	9:18:07 AM	19	Mechanical Trap	No Activity	
	9:18:18 AM	20	Mechanical Trap	No Activity	

INSPECTION DETAIL

Area	Time	Device	Type	Status	Pest Findings
	9:19:20 AM	21	Mechanical Trap	No Activity	
	9:24:32 AM	22	Mechanical Trap	No Activity	
	9:23:34 AM	23	Mechanical Trap	No Activity	
	9:23:16 AM	24	Mechanical Trap	No Activity	
	9:22:53 AM	25	Mechanical Trap	No Activity	
	9:20:56 AM	26	Mechanical Trap	No Activity	
	9:21:04 AM	27	Mechanical Trap	No Activity	
	9:21:16 AM	28	Mechanical Trap	No Activity	
	9:21:32 AM	29	Mechanical Trap	No Activity	
	9:22:45 AM	30	Mechanical Trap	No Activity	
	9:53:01 AM	31	Mechanical Trap	Skipped	
	9:53:06 AM	32	Mechanical Trap	Skipped	
	9:53:11 AM	33	Mechanical Trap	Skipped	
	9:20:40 AM	34	Mechanical Trap	No Activity	
	9:19:39 AM	35	Mechanical Trap	No Activity	
	9:24:40 AM	36	Mechanical Trap	No Activity	
	9:24:56 AM	37	Mechanical Trap	No Activity	
	9:25:03 AM	38	Mechanical Trap	No Activity	
	9:25:14 AM	39	Insect Light Trap	No Activity	
	9:25:20 AM	40	Mechanical Trap	No Activity	
	9:25:52 AM	41	Mechanical Trap	No Activity	
	9:26:43 AM	FPT 1	Pheromone Trap	No Activity	
	9:13:57 AM	FPT 2	Pheromone Trap	Activity	Indian Meal Moth - 2 C
	9:28:55 AM	FPT 3	Pheromone Trap	No Activity	
	9:28:50 AM	ILT 1	Insect Light Trap	No Activity	
	9:10:46 AM	ILT 2	Insect Light Trap	Activity	Green/Blue/Blac... - 75 C

Areas	Time	Type	Status	Pest Findings
bldg 1				
	8:54:31 AM	Area	No Activity	
bldg 1 -> interior				
	8:12:09 AM	Area	No Activity	
bldg 1 -> interior -> 1- laundry rm				
	8:12:21 AM	Area	No Activity	
bldg 1 -> interior -> 1- laundry rm -> electric rm				
	8:14:28 AM	Area	No Activity	
bldg 1 -> interior -> 2- break room				
	8:41:51 AM	Area	No Activity	
bldg 1 -> interior -> 3- restroom				
	8:42:01 AM	Area	No Activity	
bldg 1 -> interior -> 4- whse				
	8:17:30 AM	Area	No Activity	
bldg 1 -> interior -> 5- mixing				
	8:24:36 AM	Area	No Activity	
bldg 1 -> interior -> 6- packing rm				
	8:26:57 AM	Area	No Activity	
bldg 1 -> interior -> 7- maintenance rm				
	8:30:26 AM	Area	No Activity	
bldg 1 -> interior -> 8- allergen rm				
	8:31:25 AM	Area	No Activity	
bldg 1 -> interior -> 9- Finn rm				
	8:34:06 AM	Area	No Activity	
bldg 2				
	8:54:34 AM	Area	No Activity	
bldg 2 -> interior				
	8:54:36 AM	Area	No Activity	
bldg 2 -> interior -> whse				
	8:46:21 AM	Area	No Activity	
bldg 2 -> interior -> whse -> Mating Disrupters 7-11-24				
	8:55:02 AM	Area	No Activity	
bldg 3				
	9:57:54 AM	Area	No Activity	
bldg 3 -> exterior				
	9:54:38 AM	Area	No Activity	

INSPECTION DETAIL

Areas	Time	Type	Status	Pest Findings
bldg 3 -> interior	9:10:46 AM	Area	No Activity	
bldg 3 -> interior -> hemp rm	9:51:05 AM	Area	No Activity	
bldg 3 -> interior -> hemp rm -> Glueboards x12	9:51:16 AM	Area	No Activity	
bldg 3 -> interior -> Long room	9:51:07 AM	Area	No Activity	
bldg 3 -> interior -> Long room -> Glue boards x12	9:51:08 AM	Area	No Activity	

PRODUCTS APPLIED

Material EPA #	A.I. % A.I. Concentration	Finished Qty Undiluted Qty	Application Equipment Application Method	Application Rate	Time Lot #
ILT Glue Board	0.0000% 1.00000000	2.0000 Each 0.0000 Each	n/a n/a	n/a	8:15:11 AM n/a
Areas Applied:	bldg 1 -> interior -> 4- whse -> Device ILT 1				
ILT Glue Board	0.0000% 1.00000000	1.0000 Each 0.0000 Each	n/a n/a	n/a	8:18:12 AM n/a
Areas Applied:	bldg 1 -> interior -> 4- whse -> Device ILT 2				
ILT Glue Board	0.0000% 1.00000000	1.0000 Each 0.0000 Each	n/a n/a	n/a	8:46:06 AM n/a
Areas Applied:	bldg 2 -> interior -> whse -> Device ILT 2				
ILT Glue Board	0.0000% 1.00000000	2.0000 Each 0.0000 Each	n/a n/a	n/a	9:10:45 AM n/a
Areas Applied:	bldg 3 -> interior -> Device ILT 2				
Insect Monitor GB	0.0000% 1.00000000	25.0000 Each 0.0000 Each	n/a n/a	n/a	9:54:33 AM n/a
Areas Applied:	bldg 3 -> interior				
TALSTAR P PROFESSIONAL INSECTICIDE 279-3206	7.9000% 0.06000000	1.5000 Gallon 1.4579 Fluid Ounce	n/a Power Sprayer	1 floz of concentrate ...	9:56:50 AM n/a
Target Pests:	Millipedes, Yellow Jacket				
Areas Applied:	bldg 3 -> exterior				
Comment:	Treated along front of building foundation				