



# Certificate of Analysis

## SUMMIT LABORATORY, LLC

900 Godfrey Avenue SW  
Grand Rapids, MI 49503  
Ph 616-245-3818

**Client:** Proper Beverage Co.  
4432 South Buttermilk Court, Suite 400  
Hudsonville, MI 49426

**Report Date:** March 10, 2022

**Report Prepared by:** Alexis Thomas

**Contact:** Mr. Brian Hirsch

**Summit Laboratory Job #:** 2203185

**Samples Collected:** By Client  
**Samples Received:** 03/07/22 @ 1:20PM  
**Analyses Started:** 03/07/22 @ 2:15PM  
**Analyses Completed:** 03/10/22

**Analysis Requested:** Anaerobic Plate Count (AOAC 990.12), Total Coliform (*T. coli*) (AOAC 991.14), *Escherichia coli* (*E.coli*) (AOAC 991.14), *Staphylococcus aureus* (AOAC 2003.07), *Salmonella* spp. (AOAC 2016.01), and Rapid Yeast and Mold (AOAC 2014.05).

Following are the microbiological results for the “**Beverage**” samples submitted:

<u>Sample #</u>	<u>Sample Description</u>		<u>Anaerobic Plate Count</u> (cfu/mL)	<u>T. coli</u> (cfu/mL)	<u>E. coli</u> (cfu/mL)	<u>Staph. aureus</u> (cfu/mL)	<u>Rapid Yeast</u> (cfu/mL)	<u>Rapid Mold</u> (cfu/mL)	<u>Salmonella spp.</u> (Pos/Neg)/25mL
30422-0055	Merica' Energy Patriot Punch	=	<1	<1	<1	<1	<1	<1	Negative
30722-001	Grow Foods Lavender Lemonade	=	<1	<1	<1	<1	<1	<1	Negative
30722-005	Kin Rose	=	<1	<1	<1	<1	<1	<1	Negative

All methods are ISO 17025:2017 accredited. A2LA Certificate 3136.01

All microbiological analyses are in accordance with current FDA (BAM) Online Edition and/or AOAC approved methodologies. Results reported are provided “as is” and related only to samples tested.

Report approved by:

Joel Steenstra  
Laboratory Manager