

Asiameica Group, Inc.  
85 Chestnut Ridge Road, Suite  
Montvale, NJ 07645



Tel: (201) 497-5993  
Fax: (201) 497-5994

---

## Specification

---

**Product Name:** 1% D-Biotin

Test Items	Specifications	Test Method
Appearance	White powder	Visual
Carrier	DCP	
Odor	Characteristic	Olfactory
Loss on drying	≤8.0%	EP6(2.2.32)
Lead	≤1mg/kg	AAS
Arsenic	≤1.5mg/kg	AAS
Cadmium	≤0.5mg/kg	AAS
Mercury	≤0.2mg/kg	AAS
Biotin	1.0% - 1.2%	HPLC
Particle Size	≥90% pass 80 mesh	CP2005part  AppendixIXE
Bulk Density		USP<616>
Total Plate Count	≤3X10 <sup>3</sup> cfu/g	USP<2021>
Yeasts and Molds	≤3X10 <sup>2</sup> cfu/g	USP<2021>
Staphylococcus Aureus	Negative	USP<2022>
E.Coli	Negative	USP<2022>
Salmonella	Negative	USP<2022>

Examine immediately and report any damage within 2 days and any assay variations within 10 days. Any and all claims must be made prior to processing of any kind.

The information contained herein is to the best of our knowledge correct. The data outlined and the statements made are intended only as a source of information. No warranties expressed or implied are made on the basis of this information. It is suggested that you evaluate the product on a laboratory scale prior to use in a finished product. The information contained herein should not be construed as permission for violation of patent rights.